

SD4780P USB-C™ & USB 3.0 Dual 4K Docking Station with 100W Power Delivery

Part Number: K33620EU | EAN Code: 5028252617888

The Ultimate USB-C™ & USB 3.0 Dock for Dual 4K Video @ 60Hz with 100W Power Delivery.


Features include the ability to select between HDMI 2.0 and DP 1.2 ++, with four video ports in all (no need for cumbersome adapters); six USB ports (front: 1x USB-C 3.1 Gen2 up to 5V/3A and 1x USB-A 3.1 Gen2 up to 5V/2.4A, back: 4x USB-A 3.1 Gen1 up to 5V/0.9A); 100W of Power Delivery (perfect for the newer MacBook Pro); a 1m USB-C to USB-C cable with USB 3.0 adapter (for USB 3.0 devices that require Power Delivery - see our optional power splitter K38310EU); Thunderbolt™ 3 compatibility and Kensington DockWorks™ software for the best connection, performance and security from your Kensington dock. VESA® 75/100 compatible.

Features include:

- Ultra High Definition video for up to Six USB ports two 4K monitors @ 60Hz
- 10Gbps throughput for maximum efficiency
- · Flexibility to select between HDMI 2.0 and DP 1.2 ++ ports — choose the best port for your environment
- Support for USB-C and USB 3.0 (A) laptops
- · Windows, macOS and Chrome OS compatibility
- 100W Power Delivery

- (two with charging)
- 1m USB-C to USB-C cable with USB 3.0 adapter included (for USB 3.0 (A) devices that require PD, see our optional power splitter K38310EU, sold separately)
- Free DockWorks™ software
- · Three-year warranty
- · True universal compatibility





Kensington The Professionals' Choice™

Kensington

SD4780P USB-C™ & USB 3.0 Dual 4K Docking Station with 100W Power Delivery

Part Number: K33620EU | EAN Code: 5028252617888



Dual 4K (@60Hz) video output (HDMI 2.0 & DP1.2++)

Delivers Ultra High Definition (4096 x 2160) images. Four video ports allow users the ability to select between HDMI 2.0 and DP 1.2 ++ without the need for cumbersome adapters.








100W Power Delivery

Ideal for devices that require higher power, such as the newer MacBook Pro. For USB 3.0 laptops requiring power delivery, see our optional 60W Power Splitter (K38310EU), sold separately.





Universal Hybrid Docking



Six USB Ports (USB-C and USB 3.0)

Two-layer hub delivers speeds up to 10Gbps. Front: 1x USB-C 3.1 Gen2 up to 5V/3A and 1x USB-A 3.1 Gen2 up to 5V/2.4A; Back: 4x USB-A 3.1 Gen1 up to 5V/0.9A.



Zero Footprint **Mounting Option**

Adjustable clamp easily attaches to a desktop edge, cubicle wall, monitor arm, or other surface for maximum mounting flexibility (K34050, sold separately).



Free Kensington DockWorks™ Software

Enables the best connection, performance, and security from your Kensington dock.



Three-Year Warranty

Rest assured knowing you're covered by Kensington.

Kensington

SD4780P USB-C™ & USB 3.0 Dual 4K Docking Station with 100W Power Delivery

Part Number: K33620EU | EAN Code: 5028252617888

	Systems Supported	All Laptops with USB-C or USB 3.0 ports
	Operating Systems Supported	Windows® 10/ macOS 10.15+/ Chrome OS 44+
	Plug & Play	DisplayLink Driver needed
	Software	Download from DisplayLink website (https://www.displaylink.com/downloads)
	System Resource Requirement	CPU: Intel® Core™ i5 6th generation or above Memory: 8GB or above GPU: Intel® HD Graphics 620 or above
	Additional Software Information	DockWorks (Windows 10, macOS 10.15+)
	USB-C Power Delivery	5V/ 9V/ 12V/ 15V/ 20V @ 3A (up to 100W, 20V@5A
ISB Interface		
	Type of USB Connector	USB-C & USB 3.0 Connector
	Host Connector	Support USB3.1 Gen1 Type A & Type-C
JSB Connections		
	Ports (Front)	1 x USB3.1 Gen1 Type A, support BC1.2 (5V/1.5A) & Apple Charging (5V/2.4A) 1 x USB3.1 Gen1 Type C (5V/3A, 9V/2A)
	Ports (Back)	4 x USB3.1 Gen1 Type A (5V/0.9A)
Network Connections		
	Ethernet Port	RJ45
	Compatible Ethernet Speeds	10/100/1000 Mbps
Host Connectivity		
	Host Docking Connector	USB-C with Power Delivery up to 100W, For USB 3.0 laptops requiring power delivery, see our optional 60W Power Splitter (K38310EU).
Video Connections		
	Video Connectors	2 x DisplayPort ++ v1.2 2 x HDMI v2.0
	Maximum Resolution Supported	Single Monitor: 4096 x 2160 @ 60Hz Dual Monitors: 4096 x 2160 @ 60Hz
Audio Connections		
	Audio Connectors	1 x 3.5mm audio combo jack
	Audio Channels Supported	Stereo LR
LED Indicator		
	Blue LED	Power indicator

Kensington

SD4780P USB-C™ & USB 3.0 Dual 4K Docking Station with 100W Power Delivery

Part Number: K33620EU | EAN Code: 5028252617888

Material Specification	Exterior	Enclosure: PC ABS with texture
	Bottom	Metal Base Plate: Sheet Metal
	Product Colour	PMS Black
Other Features		
	Kensington Security Slot	Kensington Security Slot / Nano Slot
	VESA® Mount Compatible	Yes
Product Dimensions		
	Unit Weight	0.385kg (13.58oz)
	Unit Dimensions without Peripherals	Width: 210mm (8.26") Depth: 90mm (3.54") Height: 31.3mm (1.23")
	Enclosure Colour & Material	PMS Black, PC ABS
	Desktop Footprint	189cm² (29.29sq.in)
Packaging Dimensior	15	
	Packaging Style	Bulk Packaging
	Packaging Dimensions	Width: 235mm (9.25") Depth: 149mm (5.86") Height: 91mm (3.58")
	Packaging Weight	1.396kg (3.07lbs)
	Packaging Content	1 x SD4780P Dock 1 x USB-C to USB-C cable with USB-A tethered adapte 1 x Power Supply 1 x IG (Instruction Guide) 1 x Warranty Card 1 x Compliance Sheet
	Master Carton	4
Power and Environme	ental	
	Power Adapter Rating	Input: 100-240V; 1.8A / Output: 20V DC 8.5A (170W)
	Relative Humidity	55% operating temperature @ 25°C
	Operating Temperature	0 to 40°C (32 to 104°F)
	Storage Temperature	-18 to 60°C (-0.4 to 140°F)
Country of Origin, Res	gulatory, and Warranty	
	Country of Origin	Thailand
	Certifications & Compliance	FCC, IC, CE, RCM, VCCI, CB, RoHS, ACCO RSL
	Warranty	3-Year Limited - worldwide



